
Meridian 1

Meridian data features

Operations and tests

Document Number: 553-2731-300

Document Release: Standard 3.0

Date: December 1994

© 1990, 1994

All rights reserved

Printed in the United States of America

Information is subject to change without notice. Northern Telecom reserves the right to make changes in design or components as progress in engineering and manufacturing may warrant. This equipment has been tested and found to comply with the limits for a Class A digital device pursuant to Part 15 of the FCC rules.

SL-1 and Meridian 1 are trademarks of Northern Telecom.

Revision history

August 10, 1990

Standard, release 1.0. Reissued for compliance with Northern Telecom standard 164.0.

December 31, 1992

Standard, release 2.0.

December 1994

Standard, release 3.0. Reissued to include editorial changes and indexing. Due to the extent of the changes, revision bars are not used.

Contents

Introduction	1
Operation procedures and tests	3
Prerequisites	3
Testing procedures	4
Operating procedures	6
Hot Line calls	20
Keyboard dialing	22
Keyboard dialing from the AIM data station	27
Keyboard dialing from the ASIM data station	36
Keypad dialing from the ASIM data station	48
Performance testing operations	55
In-house transmission performance testing	55
Interoffice data transmission performance testing	56
Outbound Modem Pool fault testing	56
Inbound Modem Pool fault testing	57
AIM and AILC fault testing	58
ASIM troubleshooting procedures	66
Glossary	67

List of figures

Figure 1	
ADM and user option selection controls	67
Figure 2	
ASIM recessed user option selection controls	68
Figure 3	
ASIM dial and keypad layout	74